INDEX FOR VOLUME 40

AUTHOR AND SUBJECT INDEX. New species in **boldface type.** Junior authorship indicated by pages in parentheses.

Prepared by Thor Kommedahl, Minnesota Agricultural Experiment Station, University Farm, St. Paul, Minnesota.

Absidia, 256
Acanthospermum hispidum, 268
Achillea ptarmica, 869
Achlya, species of, 2
Acrothecium, 521
Actidione (see Antibiotics)
Actinomucor repens, 256
Actinomyces (see also Streptomyces), 254, 645
  antibiotic to Pythium, 544
Adaptation, white-rot fungi to lignin, 926
ADSUAR, JOSE, 214
Aerobacter aerogenes, 251
Aerobiology, Arctic, spores of cereal pathogens, 632
AFANASIEV, M. M., 963, (968)
Agallia constricta, 1072
Agalliopsis novella, 1083
Agaricus campestris, 255, 797
  growth on uranium salt media, 30
Agrobacterium radiobacter, 255
  rhizogenes, 255
  tumefaciens, 1, 8, 255, 941, 1058
    agglutination with Xanthomonas spp., 58
    in periwinkle, destruction of, 28
Agropyron (see Grasses)
Agrostis (see Grasses)
ALBERT, A. R., (20)
Albizzia julibrissin, 189, 791
ALEXANDER, L. J., 1
Alfalfa, 10, 33, 189, 370, 535, 963, 1076
  mosaic of, infecting potato, 973
  seed treatment, for damping-off, 883
ALI, MOHAMED A., 69
ALLEN, M. W., 1043
ALLEN, O. N., (28), (44)
ALLISON, C. C., 22
ALLISON, J. LEWIS, (5)
Allium cepa, 704
  vineale, 704
ALLMENDINGER, D. F., (239)
Allomyces arbuscula, 2
Almond, 567
  bud failure, 970
Alternaria, 522
  brassicicola, growth affected by actidione, 156
  carotae, 645
  carthami, on safflower, 28
  dianthi, on carnation, 206
  oleracea, 329
  spp. in Arctic air, 636
    isolated from insects, 539
    on corn stalks, 288
    zinniae, in culture, ethylene production of, 207
Alsike (see Clover, alsike)
Amanita muscaria, 256
  phalloides, 255
Amaranthus caudatus, 270, 730
AMERICAN PHYTOPATHOLOGICAL SOCIETY, abstracts of papers presented at 1949 meeting, 1
  annual report, 394
  Northeastern Division, report of meeting, 407
  Pacific Division, abstracts and report of meeting, 963
  Potomac Division, abstracts and report of meeting, 869
  Southern Division, abstracts and report of meeting, 785
Anatomical aspects of wilt in sweet potatoes, 769
ANDERSON, BILLIE LOU, (627)
ANDERSON, H. W., 1, 413
ANDES, J. O., 915
Andropogon (see Grasses)
ANGEL, C. R., (872)
Announcement of meetings and change in constitution, 878
Annulus orae, 833
    var. **phaseoli** var. nov., 845
  tabaci, var. virginiensis, 833
  zonatus, 833
Anthemis tinctoria, 869
ANTHON, E. W., (971)
Anthracnose, bean, 13
  blue lupine, 789
  Camellia, 7
  cereals and grasses, 2
  legumes, 10, 786
  red clover, 788
  tomato, 27
    control, 32
Antibiotics, actidione, in azalea blight control, 335
  on certain pathogenic fungi, 156, 218
  on germination of peas, 159
  to control peach brown rot, 12
  toxicity to higher plants, 218
  Actinomycetes, to Pythium, 544
  in onion scale pigments, 294
  clavacin, 11
  Penicillium, to crown-gall bacteria, 28
  role in soil, 11
  streptomycin, 11
Antirrhinum majus, 189, 268
Aphanomyces, 963
  euteiches, 881
  laevis, 2
  spp., isolation technique for, 389
Aphelenchoides ritzema-bosi, 7
Aphid (see Insects)
Aphis gossypii, 512
  ferruginea-striata, 967

rumicis, 967
Apium graveolens, 839, 853
Apple, 915
bark necrosis, 5, 21
Bordeaux residue on foliage, 23
bronzing, by sprays, 19
decay, by Glomerella cingulata, 27
flyspeck, control, 27
fruit spot, control, 27
ring spot, 964
root and collar winter injury, 355
scab, control, 4, 5, 13, 27
sooty blotch, control, 27
wetwood, 871
wild crab, 458
Aquilegia canadensis, 839
Arachis hypogaea, 301
Arasan (tetramethylthiuramdisulfide) (see Fungicides)
ARK, PETER A., 1, 389, (964), (965)
Armillaria mellea, 255
variation in, 968
ARMSTRONG, G. M., 181, (785)
ARMSTRONG, JOANNE K., (181), 785
Artichoke, curly dwarf virus of, 967
Asclepias syriaca, yellows of, 16
Ascochyta, 619
blight, of okra, 1056
chrysanthemi, 205
gossypii, 791
pisi, 788
growth affected by actidione, 156
Asparagine, for fungus sporulation, 82
Aspergillus, 522
clavatus, 11
quercinus, 645
niger, 645
rugulosus, 645
resistance of onion to, 292
rugulosus, 645
sp., on corn, 286
tamarii, 874
Aster, China, 19
Aster yellows (see Viruses)
ATKINS, J. G., JR., (3), 785, (788)
AUSEMUS, E. R., (902)
Auxins, associated with soft-rot bacteria, 873
indole-3-acetic acid, 8
Avena sativa, 704
Azalea, petal blight of, 153
control by fungicides, 333

Bacillus brevis, 255
cereus var. mycoides, 255
subtilis, 11, 255
Bacteria, 1, 2, 8, 9, 10, 11, 14, 161, 527, 1132
bacteriophages of, 876, 936, 941
on corn, following borer, 288
of the rhizosphere, 715
soft-rot, on potato, 873
substances from, to inactivate viruses, 247
tumor-inducing, from Euonymous, 1058
Bacterial canker on cowpea, 17
fruitlet brown rot of Mexican pine-apple, 1132
stripe blight of cereals and grasses, 44
wilt in tomato, 14
Bacteriophage (see Viruses)
Bacterium stewartii, 250, 941
BAIN, DOUGLAS C., 521, 786
BAINES, R. C., 963
BAKER, G. A., (477)
BAKER, KENNETH F., 213, 553, 1027
BAKER, R. E., 477
BAKER, W. L., (307)
Baldulus elimatus, on corn, 20
Barbasco, Peruvian (cube), leaf rust, 34
target spot, 37
BARDIN, ROY, (965)
Bark necrosis on apple, 5, 21
Barley, 531, 820, 968
bacterial stripe blight, 45
technique for seedling inoculation, 2
loose smut, 22, 1054
control, by hot-water treatment, 518
powdery mildew, factors predisposing to, 873
BARNETT, H. L., 1, 80, (104)
BARTEAUX, MIRIAM MARSH, 1
Basic Fuchsin, 426
BASKIN, A. DAVID, 2, (14)
Bean, 23, 299, 704, 715, 963, 981
effect of actidione on, 219
broad, 28
chocolate spot, control with Bordeaux, 699
common mosaic, 69, 684
cucumber virus on, 731
gray mold, etiology of, 228
halo blight, 206, 604
Lima, 10, 12, 18, 946
pod mottle virus, 1007
powdery mildew, 971
control by sulfur, 174
red node, 28, 832
resistance to virus, 874
root rot, caused by Fusaria, 664
rust, 813, 971
control with Bordeaux, 699
control by sulfur, 174
snap, 18
southern mosaic, 644, 786
yellow stipple virus, 32, 847
BEECHER, F. S., (870)
Beet (see also Sugar beet), 18, 730, 853, 963
yellow-net virus, 782
Begonia tuberhybrida, 781
Belgian endive, 9
BELL, FRANK H., 2, (873)
Bemisia tabaci, vector of mosaic on Euphorbia, 266
BENNETT, C. W., (266)
Benzene hexachloride (see Insecticides)
BERKELEY, G. H., 992
Beta vulgaris, 704, 730, 838, 853
Bidens pilosa, 268
Billbug (see Insects)
Biographies
BRATLEY, CYRIL OLIVER, 409
STEVENS, NEIL, 413

WOLLENWEBER, HANS WILHELM, 119
Bioquin I (see Fungicides)
Biotin, for fungus sporulation, 107
Birch, used as paper pulp, 26
  wetwood, 871
BLACK, L. M., 2, (3)
Blackberry, 458, 1104
  cane and leaf rust, 199
Blackfire, on tobacco, 5, 945
Black gum, 458
Blackleg of potato, 1012
Black mold, in onion, resistance to, 294
Blackpatch of forage legumes, 784
  of red clover, 7
  of soybean, 782
Black root of bean, due to virus, 75
Black rot of cabbage, 30
Black root rot on tobacco, 5
Black shank of tobacco, 5, 789
  control by soil fumigation, 29
Black spot of rose, ethylene production from, 205
BLODGETT, E. C., 963
Blossom blight of cherry, control by sprays, 967
  of stone fruits, 1136
Blossom-end rot of pepper, 746
Blue mold on tobacco, 5
Boletinus pictus, 254
Boletus, 256
BONDE, REINER, 161
BONNER, JAMES, (31)
Book reviews, 613, 1157
BOOSALIS, MICHAEL G., 2, 820
Borax, 658
Bordeaux (see Fungicides)
Boron deficiency in celery and cauliflower, 790
Botryotinia convoluta, 645
Botrytis, 8, 645
  allii, resistance of onion to, 30, 292
    variation in, 750
  byssoidea, variation in, 757
  cinerea, 205, 786
    blight of gladiolus, 246
    growth, affected by actidione, 156
    on Lima bean, control by cultural practices, 233
  elliptica, cardinal temperatures for, 872
    on Stephanotis, 780
  gladiolorum, cardinal temperatures of, 872
BOUCHEREAU, P., 3
Bouteloua (see Grasses)
Bouvardia humboldtii, 781
Boxwood, meadow nematode on, control, 27, 1111
Boysenberry, 370, 1105
BRAKKE, M. K., (2), 3
Bramble fruits, wilt of, 1103
Brassica chinensis, 512
  juncea, 743
  nigra, virus of, 743
  oleracea, 853
    var. botrytis, 838
    var. capitata, 189, 301, 956
  pe-tsai, 268
  spp., viruses of, 955
BRAUN, ARMIN C., 3, 1058
BREAKEY, E. P., (964)
Bremia lactucae, 804
BRETZ, T. W., 3, 4, (1018)
Brevipalpus (Tenuipalpus), on sweet orange, 15
BRIERLEY, PHILIP, 153, 869
BRINKERHOFF, L. A., (786)
Broccoli, 838
Brome (see Grasses)
Bronzing of apple, 19
Broomcorn (see Grasses)
BROWN, J. G., 1154
Brown rot, bacterial, of Mexican pineapple, 1132
  blossom blight, in almonds, 570
  of cherry-plum hybrids, control of, 778
  of peach, 874
    control by fungicides in orchard, 22
    control by low-temperature storage, 13
    control by post-harvest dips, 12
Brown spot of lupine, 786
Brown stripe of sugar cane, 90
Browning, internal, on tomato, 13
BRUEHL, G. W., 522
Buckeye rot on tomato, 8
Bud failure, of almond, 970
Bunt (see Smut)
BURGER, W. C., (28), (999)
BURKHOLDER, WALTER H., 115
BURRELL, A. B., 4
Buxus sempervirens var. angustifolia, 1114
  var. arborescens, 1119
  var. handsworthii, 1114

Cabbage, 189, 776, 853, 956
  mosaic, 248
Cacao, 1155
Cadminate (see Fungicides)
Cadmium, effect on disease resistance, 810
Cajanus cajan, 189
Calcium, in soil, to control potato scab, 968
Calendra parvula, on bluegrass, relation to root rot, 527
Calendula officinalis, 268
Calico (see Viruses)
Calla, white, rhizome rot, 712
Calladium bicolor, 781
Callistephus chinensis, 268
Calo-Clor (see Fungicides)
Camellia, flower blight control, 965
  japonica, 7
CAMPBELL, LEO, 964
Campsis radicans, 1154
Canavalia ensiformis, 270, 838, 853
Cantaloupe, 1154
Capitophorus sp., vector for strawberry virus, 870
Capsicum annuum, blossom-end rot, 746
  frutescens, 31
Cardoon, 967
Carnations, 19, 206
CAROSELLI, NESTOR E., (8), (341)
Carrot, 16, 970
Carthamus oxyacantha, rust, 363
  tinctorius, Phytophthora blight, 1155

rust, 363
CASSELL, R. C., 869, (874)
Cassia tora, 189, 785
Castanea alabamensis, 1127
alnifolia, 1127
ashei, 1127
blight resistance in species of, 1125
crenata, 1126
cuttings of, 4
dentata, 1127
floridana, 1127
var. margaretta, 1127
henryi, 1126
mollissima, 1125
neglecta, 1130
ozarkensis, 1126
pumila, 1126
sativa, 1127
seguini, 1126
Cattleya, 965, 967
Cauliflower, 790, 955
Celery, 23, 790, 839, 853, 981
leaf spot, 13
Cellophane, for mounting fungi, 967
Celosia argentea, 270
Centaurea cyanus, 270, 869
Cephalosporium **deformans**, sp. nov., on barbasco, 39
diospyri, on persimmon, 307
from corn, 288
leaf wilt, on barbasco, 39
Cephalothecium roseum, 786
Ceratostomella fimbriata, 787
pilifera, control in lumber, 657
ulmi, toxin production, 341
perithecial development, 25, 1035
Ceratophorum setosum, 786
CERVANTES, JAVIER, (20)
Cercospora festucae, 791, 1023
sojina, 784
Ceresan (see Fungicides)
Chaetomium, 521
convolutum, 645
globosum, growth affected by actidione, 156
Chalara quercina, 17
funicolum, 440
CHAPMAN, R. A., 4
Chemotherapy, 27
with Dutch Elm disease, 8, 352
Chenopodium album, 730
CHEO, PEN-CHING, 584
CHEREWICK, W. J., 1054
Cherry, 9, 19, 20, 963, 964
control of blossom blight, 967
mild rugose mosaic, 992
rusty mottle virus, 969
shot hole, 32, 205
western X-disease, recovery from peach, 707, 969
Chestnut blight, resistance, 1125
Chicory, wilt, 9
CHILDS, JAMES F. L., 719
CHILTON, J. E., 786
CHILTON, S. J. P., (26), (31), (544)
Chinkapin, 1126
Chlorax (sodium chlorate), 12
Chlordane (see also Fungicides), 460
Chlorobromopropene (1-chloro-3-bromopropene-1) (see Fungicides)
Chloropierin (see Soil fumigants)
Chlorosis in flax and strawberry, 14
Choanephora cucurbitarum, 645
asexual reproduction, influence of nutrition, 80
Chokecherry, western X-disease, 710, 969
CHONA, B. L., 221
CHOTHIA, HOMI P., (363)
CHRISTENSEN, J. J., (15), 284, (527)
Chrysanthemum, 7, 205
carinatum, 869
cinerarifolium, 270
coccineum, 869
coronarium, 869
hortorum, stunt of, 869
praealtum, 869
segetum, 869
Chrysanthemum stunt (see Viruses)
Cichorium intybus, 9
Cineraria, test plant for chrysanthemum stunt, 869
Circinella spinosa, 256
Citric acid, effect on spore germination, 329
Citrullus vulgaris, 301
Citrus, 790
Florida scaly bark or nailhead rust, 7, 15
lepra explosiva or leprosis, 7, 15
variola, 7
Cladosporium, 522
cucumerinum, 1098
effusum, on pecan, 786
fulvum, 1031
CLAPPER, RUSSELL B., (12)
CLAYTON, C. N., 5
CLAYTON, E. E., 5
Clitocybe illudens, 256
Clorox (sodium hypochlorite), 12
Clover, alsike, 535, 689
crimson, 2, 28, 689, 835, 853, 1072
Ladino, 539, 987
red, 7, 10, 11, 12, 14, 16, 33, 535, 629, 788, 838, 853
seed treatment to control damping-off, 883
sweet, 10, 28, 535, 690, 820, 835, 885, 1087
tobacco-streak virus of, 516
white, 535, 839, 853
CLULO, GENEVIEVE, 5, (21)
Coccomyces hiemalis, on cherry, ethylene production, 205
COCHRAN, GEORGE W., (970)
COCHRAN, L. C., 964
COCHRANE, VINCENT W., (715)
Coffee, 10
Coffeeweed, 189
host for cucumber virus, 731
COHEN, MORTIMER, 5
COLE, JOHN, 786
Coleus blumei, 392
Colladonus geminatus, 971
Colletotrichum cereale, 645

circinans, 251
resistance of onion to, 30, 292
destructivum, on legumes, 10
falcatum, mutation in, 221
glycines, on legumes, 10
graminicolum, 255
on cereals and grasses, 2
on legumes, 10
lagenarium, 645
lilii, cardinal temperatures, 872
lindemuthianum, 645
sporulation, 104
growth affected by actidione, 156
linicolum, testing flax for resistance to, 15
phomoides, 256
factors affecting pathogenicity, 29
races in, 27
pisi, 251
on legumes, 10, 788
spp., isolated from insects, 539
isolated from grasses, 435
pathogenicity on sorghum and sugar cane, 430
trifolii, cultural variation in, 33
on legumes, 10
truncatum, on legumes, 10, 13
villosum, on legumes, 10, 788
Collybia, 256
velutipes, 644
Coniophora arida, 441
olivacea, 440
puteana, 440
COOLEY, J. S., 355, 869
COOPER, W. E., 6, 544, 786
Copper, compounds (see Fungicides)
deficiency in citrus and tung, 790
sulfate, for disinfecting smut spores, 587
Coprinus atramentarius, 256
comatus, 256
micaceus, 256
Corn, 6, 11, 15, 17, 20, 284, 704, 952, 963
borer, European, relation to stalk and ear rot, 284
leaf spots, 790
stunt, 20
sweet, 18
host for cucumber virus, 730
Corticium albostramineum, 440
stevensii, cause of thread blight, 459
COSTA, A. S., 266
Cotton, 189, 269, 370, 786, 1103, 1154
crinkle leaf, control, 790
susceptibility to Ascochyta, 791
wilt, 497, 785, 789
Corynebacterium fascians, 255, 941
michiganense, 941
sepedonicum, 10
pathogenicity on potato, 161
COURTNEY, W. D., (627)
Court-noue, of grape, 966
COVELL, MILDRED, (161)
COWPEA (Vigna sinensis), 17, 28, 249, 298, 784, 785, 838, 853, 942, 981
COX, C. E., 870
COX, R. S., (8)
Crag 531 (see Fungicides)
CRANDALL, BOWEN S., 34, 307
Crazy top, in corn, infectious nature of, 29
Cropping sequence, effect on sugar-beet seedling diseases, 963
effect on wilt of bramble fruits, 1103
Crotalaria, Fusarium wilt, 785
incana, mosaic, 512
juncea, 189
mosaic, 512
mucronata, 5, 189, 513
spectabilis, 5, 189, 838
Crown gall, bacterium, 1058
of periwinkle, destruction of, 28
tumor-inducing principle, 3
Crown rot, of African violet, 874
on red clover, 14
Cruciblum vulgare, 645
Cryptosporella umbrina, on rose, 205
Cryptostictis caudata, ethylene production in culture, 207
Cucumber, 11, 28, 32, 460, 704, 838, 853, 942, 981
mildew, control of fungicides, 787
transmission by beetles, 870
scab, resistance to, 1094
virus 1 from spinach, 729
virus 3 and 4, 219
Cucumis melo, 301
sativus, 31, 392, 691, 704, 731, 838, 853
Cucurbita maxima, 301
Cucurbits, 18
black rot, 30
new viruses of, 30, 33
seed treatment, 18
wilt, 181
Cunninghamella sp., 256
Cuprocide (see Fungicides)
Curly dwarf (see Viruses)
Curvularia lunata, cardinal temperatures for, 872
Cuscuta californica, perennation of, 213
campestris, 16, 970
subinclusa, 970
perennation of, 213
Cyamopsis tetragonalobus, 248, 298, 301, 835, 853
Cyanamid (see Fungicides)
Cyclamen indicum, 781
stunt disease, 1027
Cycloconium oleaginum, 32
Cymbidium, 965, 966
Cynara cardunculus, 967
scolymus, 967
Cypress, 788
Cytospora, 10
on sugar maple, 25

Dactylis (see Grasses)
Daedalea confragosa, 645
Dahlia variabilis, 869
Daisy, 1058
Daldinia concentrica, 645
DALY, J. M., 6
Damping-off, alfalfa, 883
clover, 883
lettuce, 8
safflower, 28

Sudan grass, 883
DARROW, GEORGE M., (194)
Datura stramonium, 691, 704, 838, 853, 981
host for Euphorbia mosaic, 267
DAVIDSON, R. S., 6
DAVIDSON, ROSS W., 870, (871)
DAVIS, LILY H., (553), (1027)
DAY, WILLIAM C., (926)
DD (dichloropropylene and dichloropropane) (see Soil fumigants)
DECKER, PHARES, 786, 787
Dell 'arricciamento, 966
Delphinium, 270, 615
DEMAREE, J. B., 870
Dewberry, cane and leaf rust, 200
Diabrotica duodecimpunctata, on corn, 27
undecimpunctata howardii, on cucumber, 870
DIACHUN, STEPHEN, 128, 516
Dianthus chinensis, 268
Dicheirinia archeri, 34
Dichlorobutene (see Soil fumigants)
2,4-Dichlorophenoxyacetic acid, effect in plant tissues, 1166
DICKEY, ROBERT S., (389), 964, 965
DICKSON, J. G., (44)
Dictyuchus monosporus, 2
Dieffenbachia picta, 781
Digitalis purpurea, 268
Digitaria (see Grasses)
DIMITMAN, J. E., (24)
DIMOCK, A. W., 7, 460, (1027)
DIMOND, A. E., (4), 7
Diospyros ebenaster, 309
kaki, 309
lotus, 309
montana, 309
rosei, 309
discolor, 309
texana, 324
virginiana, wilt of, 307
Diplocarpon rosae, on rose, 32
ethylene production of, 205
Diplodia zeae, 645
following corn borer, 286
Diplodina ajacis, 615
cardinale, 615
consolida, 615
cultorum, 615
delphinii, sp. nov., 620
elatum, 615
grandiflorum, 615
nudicale, 615
nudicaule, 615
zalil, 615
Ditylenchus dipsaci, control, 627
Dodder, in virus grafts, 16
perennation, 213
Dogwood, 458
Dollar spot, control, 25
DOOLITTLE, S. P., 870
Dow 6 (see Fungicides)
Dowax 222 (see Fungicides)
Dowfume (see Soil fumigants)
Dowicide (see Fungicides)
Downy mildew (see Mildew)
DUCHARME, E. P., 7
Dutch elm disease, 4, 8, 341
DUNLAP, A. A., 7, (216)
Dyes, azo, 8
toxicity to microorganisms, 426

Ear rot of corn, relation to corn borer, 284
Early blight on tomato, control, 32
Echinacea purpurea, 869
Echinochloa (see Grasses)
Echinothrips, 269
Eggplant, 32
EHRLICH, JOHN, (439)
EISENSTARK, A., 876
Elaeagnus pungens, 23
Elgetol (see Fungicides)
EL-HELALY, A. F., 699
ELLIOTT, EDWARD S., 7
ELLIS, D. E., 8, 1056
Elm, Dutch elm disease on, 4, 8, 341, 1036
mosaic, 3
phloem necrosis, 4
wetwood, 871
zonate canker, 1018
Elsinoe ascomata, on holly, 22
Elymus (see Grasses)
EMGE, ROBERT G., 8
Emillia sagittata, 869
Endothia parasitica, 1125
factors affecting sporulation, 1
Environment, influence on cucumber scab, 1094
Epicoccum, isolated from insects, 539
EPPS, WILLIAM M., 787
Erianthus (see Grasses)
Erigeron bonariensis, 270
Erysiphe, 786
graminis, 872, 873
polygoni, 971
control by sulfur, 174
Erythrina herbacea, 23
Erwinia atroseptica, on potato, 873, 1011
carotovora, 1, 250, 941
factors influencing invasion, on potato, 860
pathogenicity on potato, 873, 1011
Escherichia coli, 941
Ethylene, metabolite of diseased and injured plants, 32, 205
Euchlaena (see Grasses)
Euonymous fortunei radicans, galls induced by bacteria, 1058
Euphorbia pilulifera, 270
Extension plant pathologist, work of, 871
Eye spot, of grasses, 90, 91
of sugar cane, 90

Fagopyrum esculentum, 268
FANG, C. T., 44
Fanleaf of grapevines, 966
Favolus, 256
FEAZELL, G. D., 787
FEDER, WILLIAM A., (1), 8
FEICHTMEIR, E. F., 965
Feijoa sellowiana, 23
FELDMAN, A. W., 8, 341
FELIX, E. L., 9
Fermate (see Fungicides)

Fertilizer, cherry leaf curl control, 20
effect on damping-off, 885, 963
effect on Verticillium wilt of cotton, 501
manganese sulfate, 790
trace elements, 790
Festuca (see Grasses)
FINK, HARRY C., 9
Fir, wetwood of, 871
FISCHER, GEORGE W., 9, 199
Flax, 14, 15, 535, 820
chlorosis, 14
rust, 235
seed treatment, 15
wilt, 969
FLOR, H. H., 235
Florida scaly bark (see Citrus)
Flotation sulfur (see Fungicides)
Flower blight, of Camellia, 965
of Stephanotis floribunda, 780
Fluorine, cause of gladiolus leaf scorch, 239
FORD, C. H., (7)
Formaldehyde (see Fungicides)
FOWLER, MARVIN E., 871
Fragaria vesca, index plant for strawberry viruses, 870
FRIEDMAN, B. A., 9, 899
Frogeye of soybean, 784
FULTON, JOSEPH P., 729
FULTON, ROBERT W., 219, 298, 936
Fungicide nomenclature, 118
Fungicides, 4
Agrosan GN (an organic mercury), 366
agar-diffusion assay, 950
ammonium dinitro-ortho-secondary butyl phenate, 581
ammonium sulfamate, 581
ammonium sulfate, 576, 970
Arasan (tetramethylthiuramdisulfide) (see also thiram), 18, 28, 787, 789, 829, 884
bioassay, 17
for Fusarium rot of narcissus, 872
for storage rot of gladiolus, 210
Arasan SF (tetramethylthiuramdisulfide) (see also thiram), 17, 427
bioassay, 950
Arathane (Cr 1639) (dinitrocaprylphenylerotonate), 12, 967
asphalt, in paint, 7
Basicop, 971
bentonite, 576
benzene hexachloride, 7
benzyl lauryl dimethyl ammonium bromide, 581
Bional A (alkyl-dimethyl benzylammonium chlorides), 719
Bional ST (ethyl ammonium bromide), 719
Bioquin I (copper 8-quinolinolate), 12, 328, 334, 427
Bloomocide, 335
borax, 873
Bordeaux, 716, 720, 778, 971, 1058
effect on spore germination, 326
for Diplodina disease on Delphinium, 625
for late blight, 2
for leaf spot on olive, 32
for pecan scab, 786
for rust and chocolate spot of bean, 699
for thread blight of tung, 457
to protect against Sclerotinia in almond, 570
Cadminate (an organic cadmium), for dollar spot, 25
Cadmium H.258 (an organic cadmium), for dollar spot, 25
cadmium dinicotine thiocyanate, 328
calcium pentachlorophenate, 581
Calo-Clor (mercuric and mercurous chloride), for dollar spot, 25
centyltrimethyl ammonium bromide, 716
Ceresan (ethyl mercury-chloride), 787, 872
Ceresan M (ethyl mercury p-toluene sulfonanilide), 427, 787, 829, 872
for safflower blight, 28
Chloramine B, 779
chlordane, 7
chloracetoacetanilide, copper, 18
Chlorobromopropene (1-chloro-3-bromopropene-1), 16
copper, 7, 8, 20, 23, 720
toxicity on vegetables, 32
for strawberry leaf spot, 777
oxychloride, 327
sulfate, 9, 12, 19, 327, 427
tribasic, 9, 32, 720, 1058
for late blight, 2
for strawberry leaf spot, 778
zinc chromate, 18, 719, 720
Copper A (copper oxychloride), 28, 720, 791
Copper 8-Quinolinolate, 720
copper nitrodithioacetate, 720
copper oxide, micronized, 720, 787
copper salt of phenylmercaptoacetic acid, 720
CR-305 (bis (2-hydroxy, 5-chlorophenyl) sulfide), 5, 13
Crag 531 (calcium zinc copper cadminate), for dollar spot, 25
Cuprocide (red cuprous oxide), 8, 829
Cyanamid (calcium cyanamid), for Azalea petal blight, 154
2,3-dichloro-1,4-naphthoquinone, 581
dimethyl dilauryl ammonium chloride, 581
dimethyldithiocarbamate, 18
dinitro capryl phenyl crotonate, 581
dinitro ortho-secondary-butyl phenol, 581
disodium ethylene bis dithiocarbamate, 581
Dithane D14 (sodium ethylene bisdithiocarbamate) (see also zineb), 328, 427, 719
for azalea petal blight, 334
Dithane Z-78 (zinc ethylene bisdithiocarbamate), 427, 716, 787, 970, 1058
dosage-response curve, 5, 17, 176, 326, 950

Dow 6 (trichlorophenol), 892
Dow 9B (zinc trichlorophenate), 787
for storage rot of gladiolus, 210
Dowax 222, 20
Dowicide B (sodium trichlorophenate), 19
Dritomic wettable sulfur, 779
effect on rhizosphere, 715
Elgetol (sodium dinitro orthocresylate), 328
eradicant, for azalea petal blight, 153, 154
ethyl mercury oleate, for thread blight of tung, 456
ethyl mercury phosphate (see also New Improved Ceresan), 658
ferbam (ferric dimethyl dithiocarbamate), 118, 791, 1058
Fermate (ferric dimethyl dithiocarbamate) (see also ferbam), 28, 328, 335, 719, 779, 829, 970, 1058
in irrigation water, 19
for apple diseases, 12, 27
for Camellia flower blight, 966
for damping-off on lettuce, 8
for storage rot of gladiolus, 210
for chlorosis in flax and strawberries, 15
Formaldehyde, stability of, in bulb treatments, 627
G-4 (2,2′methylenebis (4-chlorophenol)), 19
glyoxalidine, 334, 719
on apples, 19
1-hydroxyethyl-2-heptadecylglyoxalidine, 719
Good-rite P.E.P.S. (polyethylene polysulfide), 719
Guantal, 334
Hyamine 1622 (di-isobutyl phenoxy ethoxy ethyl dimethyl benzyl ammonium chloride), 427
8-hydroxyquinoline benzoate, 19
8-hydroxyquinoline sulfate, 19, 719
Kolofog (bentonite-sulfur), 576
lauryl isoquinolinium bromide, 581
lauryl pyridinium bromide, 581
Leafox 200-A (zinc oxide), 829
lime, 4, 8, 334
lime sulfur, 967, 1058
for bean rust and mildew, 174
for brown rot, 12
for olive leaf spot, 32
Magnetic 70 Paste, for peach brown rot, 22
Malachite Green, 716, 791
MB-358 (copper mercaptobenzothiazole), 719
MB-459 (zinc ethylene bis (N-2 cyanoethyl)dithiocarbamate), 719
MB-583(dicyclopentamethylene thiuram-disulfide), 719
MB-584 (zinc mercaptobenzothiazole), 719
Mercuric chloride, 10, 328, 428, 873
penetration in tomato seed, 965
mercury, organic, 8, 15
mercury zinc chromate, 18
Mersolite 8 (phenyl mercuric acetate), 19, 872
Methasan, 334
Microgel, 778
nabam (disodium ethylene bisdithiocarbamate) (see also Parzate), 118, 787
New Improved Ceresan (ethyl mercury phosphate), 829, 872, 884, 965
for safflower blight, 28
for storage rot of gladiolus, 210
New Improved Semesan Bel, 1, 10
nickel hydrate, 327
nicotine sulphate, 7
oxyquinoline benzoate, 791
paper-disk plate method for evaluation of, 419
para-diisobutyl phenoxy ethoxyethyl benzyl dimethyl ammonium chloride, 581
Parzate (zinc ethylene bisdithiocarbamate) (see also nabam), 335, 787
for safflower leaf spot, 28
for storage rot of gladiolus, 210
petroleum oil, 576
phenyl mercuric acetate, 581
phenyl mercuric triethanol lactate, 581
Phygon (2,3 - dichloro - 1,4 - naphthoquinone), 18, 28, 328, 427, 719, 787, 789, 791
for apple rust, 12
for azalea petal blight, 334
for dollar spot, 25
for European red mite, 12
Phygon XL, 716, 967
PMAS (phenyl mercury acetate), for dollar spot, 25
potassium dichromate, 328
Preventol GD (2′, 2″-dihydroxy-5′,5″-dichloro diphenyl methane), 334, 720
Proflavine, 716
Puratized (para amino phenyl cadmium dilactate), 791, 967
Puratized N5Ds (phenylmercurictrihydroxyethylammonium lactate), 720
Puratized N5E (phenyl mercury triethanol ammonium lactate), 427
for olive leaf spot, 32
Puraturf (phenyl mercury triethanol ammonium lactate), for dollar spot, 25
Puraturf GG (2.4% mercury, 6% cadmium), for dollar spot, 25
Puraturf 177 (p-amino phenyl cadmium dilactate), 335
for dollar spot, 25
8-quinolinol (8-hydroxy quinoline—Bioquin), 421
Roccal (alkyl dimethyl benzyl ammonium chloride), 19, 967
Seedox (2,4,5-trichlorophenyl acetate), 28
Semesan (hydroxymercurichlorophenol), 18, 28, 884
for storage rot of gladiolus, 210
Semesan Bel (hydroxymercurinitrophenol), 873
silver ammonium complex of succinic acid, 720

soda, modified (hydrate), 658
sodium, beta-naphthalate, 658
carbonate, 658
chlorate, 581
2-chloro-o-phenylphenate, 658
hydroxide, 658
lauryl sulfate, 576
o-phenylphenate, 658
pentachlorophenate, eradicant against Sclerotinia, 567
for sap stain in lumber, 658
tetrachlorophenate, 658
Spergon (tetrachloro-parabenzoquinone), 18, 328, 334, 427, 716, 787, 789, 829, 872, 880, 970, 971, 1058
for dollar spot of grass, 25
for lettuce damping-off, 8
for storage rot of gladiolus, 210
for pea seed treatment, 884
Styralloy (styrene emulsion), 576
sulfanilamide, derivatives of, for stem rust, 873
sulfur, 4, 873
action of, in relation to temperature, 173
dichloride, 18
for brown rot, 22
for Camellia flower blight, 966
Sulforon X, for peach brown rot, 22
synergism, between urea and sulfur, 27
Tennessee "34" (34% metallic copper), 20, 778, 779
measuring efficiency of, on foliage, 23
for apple diseases, 27
for cherry leaf spot, 20
Tersan (tetramethylthiuramdisulfide), 335
for dollar spot, 25
for storage rot in gladiolus, 210
in nutrient solutions, 19
tetramethylammonium bromide, 716
tetramethyl thiuram sulfide (thiram), 581
bioassay, 950
tetrachlorophenol, Dowicide F, 11
tetraethylpyrophosphate, 7
Thiosan, 8
thiram (tetramethylthiuram disulfide), 118
trichlorobutane, 581
Triton B-1956, 334
urea, 8
U.S.R.604 (2,3-dichloro,1,4-naphthoquinone), 892
wood-disc method for evaluation of, 653
yellow cuprocide (yellow cuprous oxide), 18, 720, 778, 884
Zerlate (zinc dimethyl dithiocarbamate), 32, 335, 427, 581, 787, 1058
zinc carbamates, for vegetable diseases, 32
zinc pentachlorophenate, 581
sulfate, 8, 328, 334, 427, 791
zineb (zinc ethylene bisdithiocarbamate) (see also Dithane), 8, 118, 971
for gray mold of Lima bean, 233
ziram (zinc dimethyl dithiocarbamate) (see also Zerlate), 118, 786, 787

Fusarial head blight of wheat, 902
Fusarium, 389, 521, 616, 1135
avenaceum, 645
lateritium f. pini, 12
lycopersici, growth affected by actidione, 218
irradiated spores of, 7
moniliforme, 14
growth-regulating substances from, 872
oxysporum, 14, 16
f. batatas, on sweet potato, 787
f. callistephi, 19
f. conglutinans, 255
f. narcissi, 872
f. perniciosum, 791
f. tracheiphilum, races in, 185
poae, growth affected by actidione, 156
roseum, 14, 440
on tulip, 965
solani, 14, 16
on pea and bean, 664, 880
v. martii, 664, 880
spp., isolated from insects, 539
on corn, following borer, 286
on potato, 901
on wheat, 903
storage rot of gladiolus, 209
udum var. crotalariae, 785
wilt of flax, 969

Galls, on squash roots, 17
GARBER, R. J., (883)
Gardenia, 776
jasminoides, 781
Garlic, false, mosaic of, 703
GARREN, KENNETH, 787
GASKILL, JOHN O., 483
Genetics of microorganisms, Agaricus, mutation in, 30
Armillaria mellea, variation in, 968
Ascochyta, variability in, 791
Botrytis allii, variation in, 750
byssoidea, variation in, 757
Ceratostomella fimbriata, 787
ulmi, 25, 1040
Colletotrichum falcatum, 221
trifolii, 33
flax rust, crosses in races of, 237
Glomerella, 31
cingulata, 915
Scirrhia acicola, 726
Ustilago zeae, 524
Verticillium albo-atrum, 497
Gentian Violet, 426
Geolegnia septisporangia, 2
Geranium, 19
effect of actidione upon, 219
Gerwasia, 10
Gibberella zeae (saubinetii), 6, 250
on blighted wheat, 903
on corn, following borer, 286
GIDDINGS, N. J., 377
GILL, D. L., 333
GILMAN, JOSEPH C., 10
Gladiolus, 19, 789
Botrytis blight, compared to leaf scorch, 246

diseases, affected by temperature, 872
leaf scorch, caused by fluorine, 239
storage rot, control by chemicals, 209
Gleocladium, 14
Gloeocercospora sorghi, 521
Gloeosporium bolleyi, 645
Glomerella cingulata, 255, 645, 786
factors affecting sporulation, 1
from apple, variability in, 915
growth of, in actidione, 218
on apple and tomato, fruit decay, 27
on Camellia, control by fungicides, 7
on legumes, 10
tested to tetramethylthiuramdisulfide, 17, 951
glycines, on legumes, 10
sp., perithecial formation in, 31
Glume blotch of wheat, 23
Glycine max (see also Soja max), 31, 853
blackpatch, 784
Glyoxalidine (see Fungicides)
GOLD, A. HERBERT, 965
Golden-glow, sap rot of cedar, 439
Gonopodya polymorpha, 2
GONZENBACH, CARLOS, 10
GOOCH, F. S., 788
GOPALKRISHNAN, K. S., 10
GOSS, ROBERT W., (860)
Gossypium barbadense, 189, 507, 966
hirsutum, 189, 269, 506, 966
GOTTLIEB, DAVID, 11, 218
GOTTLIEB, SIDNEY, 926
GOULD, C. J., (239), (872), 965
GRAHAM, S. O., (963)
Grape, fanleaf, 966
Grapefruit, 24, 720
Gramineae, measuring water loss, 26
Grasses, Agropyron cristatum, 9, 435, 531
heat banding, 522
pauciflorum, 531
repens, 10, 46, 531
smithii, 435, 531
subsecundum, 9
tenerum, 435
trachycaulum, 9
Agrostis alba, 10, 531
capillaris, 435
gigantea, 435
Andropogon furcatus, 531
scoparius, 531
bluegrass, 536, 587
brome, 46, 791, 1023
Bromus ciliatus, 9
inermis, 2, 46, 531, 1023
marginatus, 9
rigidus, 9
tectorum, 9, 535
broomcorn, 431
Bouteloua curtipendula, 531
crested wheat grass, 522
Dactylis glomerata, 11, 435, 535
Digitaria sanguinalis, 435
Echinochloa colona, 435
Elymus canadensis, 531
glaucus, 435
junceus, 531
Erianthus, 431
Euchlaena mexicana, 11
fescue, 791, 1023
Festuca elatior, 435, 531
var. arundinacea, 1026
Johnson grass, 431
loose smut, 1061
lemon grass, 91
Napier grass, 91
Panicum, 435
Phalaris arundinacea, 531
Phleum pratense, 11, 46, 531
Poa ampla, 531
compressa, 531
pratensis, 435, 531
root rot, relation of billbug to, 529
reflexa, 9
root rot, 527
Stipa spartea, 531
viridula, 531
Sudan, 46, 431, 1066
seed treatment for damping-off, 883
timothy, bacterial stripe blight, 46
GRAVES, ARTHUR HARMOUNT, 1125
Gray mold, on Lima bean, 228
GREEN, G. J., (632)
GROGAN, R. G., 965
GROVES, A. B., (355)
Growth response of tomato, to zineb, 8
Guar (see also Cyamopsis tetragonalobus), 28, 33, 248, 298, 835
Guignardia bidwellii, 645
factors affecting sporulation, 1
GUPTA, B. M., (23), 642
Gymnosporangium (see Rusts)

HAGEDORN, D. J., 11, 26, 684, (999)
HALLECK, FRANK E., 715
Halo blight, genetics of resistance to, 604
on bean, 206
HAMILTON, J. R., 788
HANSEN, H. N., (26), (780), (965), (971)
HANSING, E. D., (518)
HANSON, E. W., 11, (14), 527, 902
HANSON, R. G., (16)
HARRISON, GEORGE, 788
HARTLEY, CARL, 871
HARVEY, J. M., 965
HASKELL, R. J., 871
HASSAN, H. H., (218)
HATFIELD, IRA, 653
Haydite, 19
Head blight of wheat, 6, 902
Heat banding of crested wheat grass, 522
Helicosporae, 522
Helminthosporium, 522
avenae, 645
carbonum, 6, 15, 790
cyclops, 30
maydis, 6, 790
oryzae, 3
rostratum, on sugar cane, nuclear studies of, 100
sacchari, on sugar cane, 91
sativum, 539
growth, affected by actidione, 156
spp., in Arctic air, 637
isolated from insects, 539
stenospilum, on sugar cane, 91

turcicum, 6, 256
victoriae, 644, 952
on oats, leaf spot, 785
conidiophore formation, 21
histological reaction to, 21
vignicola, on soybean, 788
Hemileia jasmini, 10
vastatrix, 10
Hemlock, wetwood of, 871
HENDERSON, R. G., 11
HENDRIX, J. WALTER, 966
HENRY, BERCH W., 788
HENSON, LAWRENCE, 788
HEPTING, GEORGE H., 12
Heterodera marioni, control by soil fumigants, 17, 29, 460
on tomato, resistance to, 216
rostochiensis, 18
control by soil fumigants, 17, 462
effect on yield of potatoes, 19
schachtii, life history and morphology, 135
Heterosporium tropaeoli, on nasturtium, 553
HEUBERGER, J. W., 12, (13)
HEWITT, WM. B., 966, (969)
Hibiscus abelmoschus, 966
arnottianus, 966
esculentus, 189, 966, 1056
rosa-sinensis, 966
sabdariffa, 966
tiliaceus, 966
virus of, 966
youngianus, 966
HILBORN, M. T., 12, (26)
HILL, EUGENE F., (653)
HINGORANI, M. K., (221)
HIRSCHHORN, ELISA, 524
Holcus sorghum, 215
HOLDEMAN, Q. L., 12, 788
HOLLIS, JOHN P., 860
Holly, American, 22, 458
Chinese, scab of, 22
HOLMES, FRANCIS O., 13, 487
HOLT, E. C., (1023)
HOOD, J. J., (12), 13
HOOKER, W. J., 390, 464
HOPPE, PAUL E., 13
Hordeum vulgare, 301
Hormodendron, 522
HORN, N. L., 788
Horseradish, 956
HORSFALL, JAMES G., (4), 13
HOTSON, H. H., (873)
HOWARD, F. L., (8), (341)
HSU, CHING-YUIN, (26)
Hydrogen fluoride, effect on gladiolus, 245
Ilex cornuta, scab of, 22
opaca, 22
Illinoia pisi, on pea, 693
Impatiens balsamia, 268
Indole-3-acetic acid (see Auxin)
INK, D. P., (194)
Inositol, for fungus sporulation, 107
Insects, billbug, relation to root rot of cereals, 527
leaf hopper, on corn, 20
Insects as vectors, aphids, bean mosaic, 77
beet mosaic, 737
beet yellow-net virus, 782
Brassica nigra virus, 743
Crotalaria mosaic, 512
internal cork of sweet potato, 790
nasturtium mosaic, 967
pea mosaic, 694
peanut mosaic, 6
strawberry viruses, 870, 964
tuber-necrosis virus of potato, 980
wound-tumor virus, 2, 1072
beetle, persimmon wilt, 317
leafhoppers, curly top on sugar beet, 382
western-X disease, 971
thrips, Euphorbia mosaic, 269
Insecticides, benzene hexachloride, 461, 965
for strawberry yellows, 964
DDT, 7, 32, 965
methoxychlor, for strawberry yellows, 964
parathion, 32
for foliar nematode, 7
for meadow nematode, 27
for root-knot and golden nematode, 460, 462
Rothane, for strawberry yellows, 964
sulfur, 965
tetraethyl pyrophosphate, 1072
for strawberry yellows, 964
Thiophos 3422, 461
Internal bark necrosis in peach, 29
Internal brown spot of potato, 899
Internal browning (see Viruses)
Internal cork of sweet potato, 789, 790
Iodine Green, 426
Ipomoea, 268
batatas, 189
Fusarial wilt, 769
Iris, 116
IRISH, KENT, 871
IVANOFF, S. S., 13
Ivy, 206

JACKSON, L. W. R., (788)
JEFFERS, W. F., (194)
JENKINS, WILBERT A., 789
JENSEN, D. D., 512, 966, 967
Jimsonweed, 28, 691, 704, 838, 853
JOHNSON, FOLKE, (199), 239, 967
Johnson grass (see Grasses)
JOHNSON, JAMES, (247)
JONES, L. S., (971)
JONES, WALTER, 967

Kabatiella caulivora, 11
nigricans, 789
Kalanchoe, 1058
crown gall on, 3
KEIL, H. L., (4)
KEITT, G. W., (17), (20), (915), (950)
KELMAN, ARTHUR, 14
KENDRICK, J. B., JR., 228
KENKNIGHT, GLENN, (392)
KENT, G. C., (464)
KHAN, A. M., 14
KILPATRICK, R. A., 14

KING, T. H., 14
KINGSOLVER, C. H., 15
KNORR, L. CARL, (7), 15
KOMMEDAHL, T., 15
KREITLOW, K. W., 16, 883
KREUTZER, W. A., 16
Kudzu, 784
Kuehneola uredinis (see Rust)
KUNKEL, L. O., 16
KUNTZ, J. E., 16

Lactarius, 256
  deliciosus, 255
Lactuca sativa, 268
  var. capitata, 781
Ladino (see Clover)
Lagerstroemia indica, 23
Late blight of potato, control, 2, 13
Lambertella pruni, 645
  viburni, 645
Lambsquarters, 730
LARGE, JOHN R., 453
LARSON, R. H., 955
Larvacide (see Soil fumigants)
LASKARIS, THOMAS, 615
LATHROP, F. H., (12)
Lathyrus hirsutus, 692
  odoratus, 692
LEACH, J. G., (7), (584)
LEACH, L. D., 967
Leaf blight of corn, 6
Leaf curl on sour cherry, 20
Leafhopper (see Insects)
Leaf scorch, differentiated from Botrytis blight, 246
  of gladiolus, caused by fluorine, 239
Leaf spot, cherry, 20
  corn, 790
  Delphinium, 615
  nasturtium, control, 553
  oats, Helminthosporium on, 785
    control by copper fungicides, 777
  sorghum, 430
  strawberry, 22
  tall fescue and smooth brome, 791, 1023
  Vitis californica, 969
LEAR, BERT, 17, (460)
LEBEAU, F. J., 430
LEBEN, CURT, 17, 950
LEFEBVRE, C. L., 17
Lemon, phloem necrosis, affected by decline, 24
Lenzites saepiaria, 644
  trabea, 645
    on western red cedar, etiology, 439
Lepiota naucina, 256
Lepra explosiva (see Citrus)
Leprosis (see Citrus)
Lespedeza stipulacea, 885
Lettuce, 8
  infected with Bremia lactucae, 804
  mosaic, seed transmission, 965
LEUKEL, R. W., 1061
LEWIS, W. AVERY, (453)
LEYENDECKER, PHILIP J., JR., 746
LIAO, SHUBERT C., 216
Liatris spicata, 869
Light, effect on fungus sporulation, 84
Lignin, adaptation of white-rot fungi to, 926
  types and sources of, 931
LIKES, D. S., (25)
Lilium, disease, affected by temperature, 872
  elegans, 781
  formosanum, 704
LILLY, VIRGIL C., (1), (80), (104)
Lily, calla, rhizomes of, 116
  Croft, 629
  Easter, 19
LIMBER, DONALD P., 493
Lime, to correct crinkle leaf of cotton, 790
LIMING, O. N., (25), (1035)
LINN, M. B., (8), (218)
Little-cherry virus (see Viruses)
Little peach (see Viruses)
LOEGERING, W. Q., 18
Lonchocarpus urucu, 37
  utilis, leaf diseases, 34
Longevity of inoculum, Sclerotinia, 16
Loose smut (see Smut)
Lotus, 12
  corniculatus, 885
LOWNSBERY, B. F., 18
LOWTHER, CONLEY V., 590, 872
LU, S. I., (6)
LUCAS, G. B., (29)
Lupinus albus, 838
  angustifolium, 692, 784, 786, 789, 838
Lychnis alba, 301
Lycoperdon cruciatum, 256
  piriforme, 256
  Wrightii, 256
Lycopersicon esculentum, 268, 691, 704, 839, 853
    host for cucumber virus, 731
    root-knot nematode, 216
  peruvianum, root-knot nematode, 216
LYLE, JAMES A., 789

MACHMER, J. H., 789
MACLEAN, NEIL A., 968
MACNEILL, BLAIR H., 18
MAGIE, R. O., (209), 789
Magnetic 70 Paste (see Fungicides)
MAI, W. F., (17), 19
Malachite Green, 426
MALAGUTI, GINO, 1154
Malic acid, effect on spore germination, 329
Manganese, deficiency in soybean and peanut, 790
  excess in apple, 21
  toxicity in peach, 29
Manganese sulfate (see Fertilizer)
Manihot utilissima, 270
Maple, 206
  sugar, decay following tapping, 24
  wetwood, 871
MARAMOROSCH, KARL, (2), 1071
Marmor **angustum** sp. nov., on Nothoscordum, 705
  betae, serial transmission, 737
  conspicuum n. sp., 282
  flavopunctum sp. nov., 858
MARSHALL, B. H., JR., (872)
MATHUR, R. S., 104

MARTIN, W. J., (787), 789
MARTIN, JOHN H., (1061)
MATTHEWS, R. E. F., (955)
MCCALLAN, S. E. A., 18, 19
MCCLELLAN, W. D., 19, 872
MCCLURE, T. T., 769
MCGAHEN, J. W., (31)
MCKINNEY, H. H., 703
MCWHORTER, FRANK P., (391)
Medicago, 16
  orbicularis, 692
  sativa, 31, 189, 692, 838, 853, 885, 1076
MEEHAN, FRANCES, (869)
Melampsora (see Rust)
Melanose, on citrus, control by fungicides, 719
Melia azedarach, 1154
Melilotus alba, 690, 835, 853, 885
  officinalis, 11, 690
  sp., 1087
  suaveolens, 16
Meloidogyne sp., 1043
Memnoniella echinata, 645
Mentha, 20
MENZIES, J. D., 968
Mercuric chloride (see Fungicides)
Mersolite 8 (see Fungicides)
Merulius, 256
  pinastri, 440
Methoxychlor (see Insecticides)
Methyl bromide (see Soil fumigants)
Methyl Violet, 426
Methylene Blue, 426
Micrococcus pyogenes var. aureus, 255, 941
MIDDLETON, JOHN T., (13), (228)
MILBRATH, J. A., 19, (707)
Mildew(s), barley, powdery-, predisposition to, 873
  bean, powdery-, 971
    action of sulfur on, 174
  corn, downy-, 29
  cucumber, downy-, control, 787
    dissemination of, 870
  hop-, control, 971
  lupine-, 786
  wheat, powdery-, predisposition to, 873
    races in, 872
MILLER, HAROLD J., 326
MILLER, H. N., 209
MILLER, V. L., (239), 627
MILLIRON, H. E., (527)
Mimosa, 189
  wilt, control methods for, 791
MITCHELL, J. E., 872, 873
Mite, 15, 32
  red spider, stimulate ethylene production, 206
Monascus purpureus, 645
Monilinia fructicola, 645
MONTAGNE, J. TH. W., (16)
MOORE, E. L., (29)
MOORE, J. DUAIN, 20
MOORE, J. G., (20)
Morchella, 255, 256
MORRIS, H. E., (963), 968
Mortierella candelabrum, 255
Mosaic (see Viruses)
Mucor, 288
  hiemalis, 256
  isolated from insects, 539
  mucedo, 256
  racemosus, 255
MUNNECKE, DONALD E., (524)
Mushroom, growth on uranium salt media, 29, 30
Muskmelon, 18, 820
Mutation, induced by uranium nitrate, 6, 30
Mycosphaerella, 969
  fragariae, cultural characters of, 22
  pinodes, 788
Myzus circumflexus, 967
  persicae, 512, 737, 743, 782, 790, 967, 980
Na_2HPO_4, virus extracted in presence of, 132
Narcissus, 116, 629
  disease, affected by temperature, 872
  Fusarial basal rot, 872
  mercury content, in relation to injury, 872
  Ophiostoma on, 493
Na_2SO_3, virus extracted in presence of, 132
Nasturtium, 839, 853
  Heterosporium disease, and control, 553
  mosaic, 967
NEAL, D. C., 789, 790
Neck rot, in onion, resistance to, 30, 294
  variability in causal organism, 749
NELSON, RAY, 20
Nematode, bulb, 627
  citrus-root, on olive, 963
  foliar, on chrysanthemum, control by parathion, 7
  golden, control by dichlorobutene, 17
    by parathion, 460
    larvae, testing viability of, 18
    on potato, effect on yield, 19
  meadow, on boxwood, control by parathion, 27
    control by sodium selenate, 1111
  root-knot, 789, 1043
    control by dichlorobutene, 17
      by parathion, 460
      by soil fumigants, 29
    of peanut, 786
    on tomato, resistance to, 216
  sugar-beet, 1043
    life history and morphology of, 135
Neoclytus, in relation to persimmon wilt, 314
Neurospora sitophila, 645
NEWHALL, A. G., (879)
New Improved Semesan Bel (see Fungicides)
Nicandra physalodes, 268
Nicotiana alata, 31
  debneyi, 5
  digluta, 23
  glauca, 268
  glutinosa, 11, 23, 24, 31, 220, 248, 268, 392, 445, 729, 839, 870, 955, 981
  longiflora, 5, 31
  megalosiphon, 5

streak virus, 128
rustica, 3, 268, 392, 516, 692, 838, 981
sylvestris, 31, 392
tabacum, 5, 11, 23, 24, 31, 189, 220, 248, 268, 298, 392, 445, 691, 704, 729, 838, 853, 958, 981
host for curly-top virus of sugar beet, 378
NIEDERHAUSER, JOHN S., 20
Nightshade, 776
Nile Blue sulfate, 426
NIKITIN, A. A., 790
Nitrogen mustard (methyl-bis(beta-chloroethyl) amine), to induce variation in Botrytis, 754, 761
Nodulation of legumes, affected by seed treatment, 787
Nothoscordum fragrans, mosaic, 703
Nucleoprotein, in tobacco leaves, 21
in tobacco, source of mosaic, 31
NUGENT, T. J., 873
Nutrition, in predisposition to winter injury of apple, 359
NYLAND, GEORGE, 969

Oak, 16, 17, 206
development of Urnula upon, 870
infected by Strumella, 870
Oats, 2, 21, 535, 704, 942, 963
bacterial stripe blight, 51
crown rust, 638
leaf spot, 785
Oidium moniloides, on wheat, 800
Okra, 189, 785
Ascochyta blight, 1056
Olive, host for citrus-root nematode, 963
leaf spot, control, 32
Oncideres, relation to persimmon wilt, 314
Onion, 704
pink root, 16
resistance, to neck rot, 30
smudge, 30
sour skin of, 115
testing cold resistance, 13
variability in neck-rot fungi, 748
wilt, discussion, 874
yellow dwarf, 393
Ophiostoma **narcissi** n. sp., on narcissus, 493
stenoceras, 494
Orange, 15, 963
sweet, 24
use in diagnosis of quick decline, 24
Orchid, mosaic of, 966
particles (virus?) from, 965
Ornithogalum thyrsoides, 704
ORTON, C. R., 21
OSWALD, JOHN W., 875, (967), 973
Ovulinia azaleae, control, on azalea, 333
by eradicant fungicides, 153
OWEN, J. H., (30), 292, 749
OWEN, RAY D., 21
Oxalis, 270

PADDOCK, WM. C., 21
PADY, S. M., 632
PAINTER, JOHN H., (453)
Pak choi, 512
PALCHEFSKY, JOHN, 22
Panicum (see Grasses)
Papaver, 270
Papaw, 1156
Paper, from birch, 26
Parathion (see Insecticides)
PARRIS, G. K., 90
Parsley, 970
Parzate (see Fungicides)
PATE, JAMES B., 790
Pathograph, modified from a phytograph, 788
Paxillus panuoides, 440
Pea, 8, 28, 33, 189, 206, 838, 853, 981
Colletotrichum on, 10
cucumber virus 1 on, 11, 731
diseases, 788
effect of actidione on seed germination, 159
pathogenicity of Rhizoctonia to, 14
root rot of, by Fusarium, 664
control, 879
seed treatment, 18
streak virus, 26, 999
yellow bean mosaic (bean virus 2), relation to pea mosaic, 684
Peach, 963, 968, 970, 992, 1139
brown rot, control, 12, 13, 20
effect of actidione upon, 219
indexing for cherry ring-spot virus, 9
manganese toxicity in, 29
ring spot, 709, 964
rosette, 16
transmission of virus by dodder, 16
western-X disease, 971
similarity to little-cherry complex, 19, 707, 969
yellows, 16
Peanut, 6, 18, 790
mosaic, 6
root knot, 786
Pear, 968
Peavine, 692
Pecan, pink rot, 786
scab, control, 786
PEEVY, W. J., (790)
PELCZAR, MICHAEL J., JR., (926)
Pellicularia filamentosa, on barbasco, 37
koleroga, on tung, 458
Penicillium, 522, 1135
digitatum, ethylene production in culture, 207
growth of, affected by actidione, 156
expansum, 644
spiculosporum, 250
spp., isolated from insects, 539
on corn, following borer, 286
Pepper, 32, 981, 1156
blossom-end rot, 746
Periwinkle, 970
Asclepias yellows on, 16
crown gall, 28
Peronospora destructor, morphology, 25
species, morphology, 25
spinaciae, resistance of spinach to, 65
Peronosporaceae, genera of, 25
Persimmon, American, wilt of, 307

Pestalozzia, 645
Pestalotia hartigii, 441
Petunia hybrida, 839, 853
PETURSON, B., (632)
Phalaris (see Grasses)
Phaseolus aconitifolius, 838, 853
acutifolius var. latifolius, 853
angularis, 838, 853
aureus, 853
calcaratus, 838, 853
coccineus, 838, 853
lathyroides, 839, 853
lunatus f. macrocarpus, 31, 853
mungo, 838, 853
vulgaris (see also Bean), 11, 31, 299, 392, 692, 704, 838
common mosaic, genetics of resistance to, 69
halo blight, genetics of reaction to, 604
host for cucumber virus, 731
Phenol, importance in disease resistance, 30
Philodendron cordatum, 781
Phleum (see Grasses)
Phloem necrosis, in lemon, affected by decline, 24
in elm, 4
Phloxine-B, 426
Phoma, 14, 521
betae, cause of storage rot of sugar beet, 483
terrestris, 255
Phomopsis citri, 720
sp., on tomatoes, 966
Phragmidium (see Rust)
Phygon (see Fungicides)
Phyllanthus corcovadensis, 270
Phyllosticta minima, on maple, 206
viticola, on ivy, 206
violae, on violet, 206
Physalis, 270
floridana, infected with potato virus Y, 446
tested to potato virus X and Y, 24
Physiochemic injury, winter injury, 361
Physiologic specialization, Colletotrichum phomoides, 27
cucumber virus 1, 729
curly top of sugar beet, 377
Erysiphe graminis tritici, 872
flax-wilt organism, 969
Fusarium oxysporum f. tracheiphilum, 185
udum var. crotalariae, 785
Kabatiella, 11
leaf rust of wheat, competition of races, 871
Phytophthora fragariae, 194
Puccinia graminis tritici, 18
Rhizoctonia solani, 14
Septoria lycopersici, 18
strains of bacteriophage, 938
Tilletia caries and T. foetida, 590
tobacco-mosaic virus, 487
Physiology of microorganisms, Botrytis spp., 759
Ceratostomella ulmi, toxin production, 341
Choanephora cucurbitarum, nutritional and environmental factors affecting, 80
Colletotrichum lindemuthianum, 109
effect of uranium nitrate on Botrytis, 760
form species of Xanthomonas, 58
growth-regulating substances from Fusarium, 872
growth substances, effect on variation in Glomerella, 919
Nutrition, Erwinia ananas, 1134
Glomerella cingulata, 918
Poria subacida and Polyporus abietinus, 930
Proteus vulgaris, 250
Pseudomonas solanacearum, 14, 250
phaseolicola, on bean, 206
Physoderma graminis, 10
zeae-maydis, 11
Phytomonas delphinii, 622
Phytophthora capsici, 746, 1155
cinnamomi, 5, 971
erythroseptica, on sugar cane, 26
on white calla, 712
faberi, 1155
fragariae, strains of, on strawberry, 194
infestans, 206
spore germination of, 326
nicotianae, control by fumigation, 29
palmivora, 5, 1156
parasitica, 1155
var. terrestris, 9
spp., on African violet, 874
heterothallism in, 5
on safflower, 1155
Phytograph, use of, in research, 787
Phytolacca americana, 839
Pigeon pea, 785
Pine, loblolly, 788
longleaf, 12
root rot, control, 788
shortleaf, 657, 788
slash, 12
Southern, 661
Western white, pole blight, 871
Pineapple, Mexican, brown rot, 1132
Pinus echinata, 657
monticola, pole blight, 871
Pisolithus, 256
Pisum sativum, 11, 14, 31, 189, 684, 731, 838, 853
var. arvense, 692
Pittosporum tobira, 23
PLAKIDAS, A. G., 22, (30)
Plantago lanceolata, 488
major, 488
rugelii, 488
virus of, on tomato, 487
Plantain, 13
host for tobacco mosaic, 488
Plaque formation in bacteriophage, 876, 936
Pleosphaeria semeniperda, 30
Pleospora, in Arctic air, 637
Pleurage curvicolla, 645

Pleurotus ostreatus, 256
ulmarius, 256
Plum, 996
Poa (see Grasses)
Podosporiella verticillata, from wheat, 30
Pokeweed, 839
Polyporus, 256
abietinus, 926
arcularius, 645
guttulatus, 443
pubescens, 645
versicolor, 645, 926
Poplar, wetwood, 871
POPP, W., 22, (1054)
Poria subacida, 926
vaillantii, 440
xantha, 441
Portulaca oleracea, 839
Potassium, citrate, effect on spore germination, 328
control of sour-cherry leaf curl, 20
Potato, 2, 17, 18, 19, 32, 116, 206, 370, 445, 535, 712, 776, 963, 1103
blackleg, 1012
bunchy-top, 968
calico virus, 980
factors influencing invasion by Erwinia, 860
internal brown spot, 899
late blight, 13
purple-top-type viruses of, 968
ring rot, 10, 161
scab, control with calcium, 968
technique for studying, 390
soft-rot bacteria, 873, 1011
stem necrosis, 464
tuber necrosis, 973
POULOS, P. L., (12), 22
Powder-post beetle, vector of persimmon wilt, 317
Powdery mildew (see Mildew)
POWELL, DWIGHT, (1)
PRASADA, RAGHUBIR, 363
Pratylenchus sp., 1119
PRESLEY, JOHN T., 497, 790
PRICE, W. C., 23, 391, (642)
Primrose, tobacco necrosis virus on, 391
Primula obconica, 391
malacoides, 391
Propylene oxide, to sterilize media, 971
Protoachlya paradoxa, 2
Prune, 968, 996
Prunus avium, 992
Besseyi, 9
cerasus, 992
demissa, western X-disease, 710
domestica, 992
japonica, 778
mahaleb, 9, 708, 963, 964, 992
mazzard, 708, 963, 964
persica, 9, 992
serotina, 9
tomentosa, 9, 778
Psalliota bispora, 29, 30
cultivation of wild forms of, 793
Pseudomonas aeruginosa, 250, 941
angulatum, bacteriophages of, 936
aptata, 941
on onion, sour skin, 117
cerasi var. prunicola, 941
cichorii, 9
coronafaciens, 942
fluorescens, 941
intybi, 9
lachrymans, 942
medicaginis var. phaseolicola, 604
phaseolicola, 942
solanacearum, 14, 941
syringae, 256, 942
tabaci, 255
bacteriophages, 936
Pseudoperonospora cubensis, on cucumber, 870
humuli, 971
Ptychogaster rubescens, 440
Puccinia (see Rust)
Pueraria thunbergiana, 784
Pumpkin, 87
Puratized (see Fungicides)
Puraturf (see Fungicides)
Purple-top (see Viruses)
Purslane, 839
Pyrausta nubilalis, relation to stalk rot of corn, 284
Pyrenochaeta terrestris, 16
Pyrethrum parthenifolium, 869
roseum, 869
Pyronin-2G, 426
Pythiopsis cymosa, 2
Pythium, actinomycetes antibiotic to, 544
arrhenomanes, 2, 539
catenulatum, 2
deBaryanum, 2, 256
on alfalfa, clover, and Sudan grass, 885
on lettuce, 8
on corn seedlings, 13
graminicola, as corn root pathogen, 27
growth of, in actidione, 218
hypogynum, 2
irregulare, on corn seedlings, 13
on lettuce, 8
mamillatum, 2
paroecandrum, on corn seedlings, 13
proliferum, 2
pulchrum, 2
rostratum, on corn seedlings, 13
spinosum, 8
spp., cropping sequence, influence on, 13
isolates from soil and water, 2
isolation in pure culture, 389
on red clover, root and crown rots, 14
torulosum, 2
ultimum, control in soil by chlorobromopropene, 16
on corn seedlings, 13
vexans, on corn seedlings, 13

Quack grass (see Grasses)
Quick decline (see Viruses)

RAINEY, C. J., (969)
RAMSEY, G. B., (1132)
Ramularia cyclaminicola, on cyclamen, 1027

RANKIN, H. W., 790
Raphanus sativus, 268, 301
RASKI, D. J., 135, (1043)
Raspberry, 370, 1104
  black, cane and leaf rust, 200
Red cedar, Western, sap rot, 439
Red leaf, of chokecherry (see Viruses)
  of oats, 874
Red node, of bean (see Viruses)
Red rot, of sugar cane, 430
Red stele, of strawberry, varietal reaction to, 194
Register, National Scientific, notice of, 1159
REINKING, OTTO A., 119, 664, 879
Relative humidity, effect on blossom blight of stone fruits, 1136
Resistance to cold, of rust spores and host tissue, 875
Resistance to disease, bean to mosaic, genetics of, 69
  cotton to wilt, 789
  cowpea to bacterial canker, 17
  cucumber to scab, 1094
  flax to wilt, 969
  importance of phenols in onion, 30
  Lima bean to gray mold, 229, 233
  mechanism of, metabolic resistance, 799
  onion, pungency, color, and moisture in relation to, 292
  Phaseolus vulgaris to halo blight, 604
  potato to ring rot, 161
    to scab, 968
    to soft rot, 864
    to tuber necrosis, 978
  sorghum to smut, 1065
  spinach to downy mildew, 65
  strawberry to wilt, 477
  tobacco, 5
    to black shank and wilt, 789
  tomato to root knot, 216
    to Septoria lycopersici, 18
    to virus, altered by fungus filtrate, 23
    Verticillium wilt, 788
  wheat, to Fusarial head blight, 902
  xerophytism and hygrophytism in relation to, 808
RESNICKY, JOHN W., (872)
Rhizoctonia, 14, 616, 786, 963
  ramicola, 23
  solani, 8, 470, 645
    growth affected by actidione, 218
    on barbasco, 38
    on soybean, parasitism of, 820
    races on legumes, 14
Rhizome rot of white calla, 712
Rhizopus, 288, 522
  delemar, 255
  nigricans, 251
    on pea, 206
  pygmaeus, 256
Rhizosphere, bacterial flora affected by fungi, 715
Rhododendron, host for azalea petal blight, 333
Rhodotorula, 250
Rhopalosiphum prunifoliae, 967
Rice, 3
RICH, SAUL, '13), 23
RICHARDS, B. L., 969
RICHARDS, GERALD S., 23
Ricinus communis, 270
RIKER, A. J., (16), (28), (44)
Ring rot of potato, control with chemicals, 10
  methods of inoculation compared, 162
  resistance of varieties to, 161
Ring spot (see Viruses)
ROBERTS, DANIEL A., 23
ROBINSON, R. R., (883)
Roccal (see Fungicides)
Roncet of grape, 966
Root and collar winter injury of apple, 355
Root knot (see Nematodes)
Root rot, cereals, relation of billbug to, 527
  Delphinium, 615
  pea and bean, 664
    control by soil fumigants, 879
  pine, control by fumigation, 788
  red clover, 14
  tobacco, 11
Rootworm, on corn, relation to Pythium, 27
Rose, 206
  black spot, 5, 13, 32, 205
  ring spot, 964
Rose Bengal, 427
ROSS, A. FRANK, 24, 445
Rothane (see Insecticides)
Rubus allegheniensis, 1104
  idaeus, 1107
  laciniatus, 1104
    cane and leaf rust, 199
  leucodermis, 200
  macropetalus, cane and leaf rust, 200
  occidentalis, 1107
  parviflorus, 1107
  proceras, 1104
  procumbens, 1107
  strigosus, 1107
  thyrsanthus, 200
  ulmifolius var. inermis, 1107
  ursinus, wilt, 1103
Rust, cane and leaf, on blackberry, 199
  crown, on oats, 638, 875
  Gymnosporangium juniperi-virginianae, 255
  Kuehneola uredinis, on blackberry, 199
    spores of, in air, 636
    safflower, 363
    wheat, in air, 636
      races in, competition of, 871
  Melampsora lini, on flax, 235
  nailhead, on citrus, 7
  Phragmidium mucronatum, on rose, 206
  Puccinia antirrhini, on snapdragon, 206
    carthami, on safflower, 363
    chrysanthemi, 206
    coronata, on oats, 638, 875
    glumarum, on wheat and grasses, 638
    graminis avenae, 875
      spores of, in air, 636
      tritici, spines on spores of, 869
        survival of races in, 18
      water loss from infected wheat, 26
    menthae, on mint, 20

triticina, on wheat, prevalence of, 637
stem, of wheat, 637
stripe, on wheat and grasses, 638
technic for collecting spores of, 874
Uromyces appendiculatus, on bean, 813
phaseoli, on bean, 971
control by sulfur, 174
Rusty mottle (see Viruses)
Rye, 2, 46, 531

Saccharomyces, 256
Saccharum officinarum (see also Sugar cane), mosaic, 215
Safflower, Phytophthora blight, 1155
rust, control, 366
seed treatment, for Alternaria blight, 28
Safranin-O, 426
Salpiglossis sinuata, 392
Sann-hemp, mosaic, 512
Saprolegnia, isolation of, in pure culture, 389
species isolated from water, 2
Sapromyces Reinschii, 2
Sap rot, of Western red cedar, etiology, 439
Sap stain, in lumber, control, 653
SASS, J. E., (464)
Scab, apple, control, 27
Chinese holly, 22
cucumber, resistance to, 1094
pecan, control, 786
potato, control with calcium, 968
technique for studying, 390
varietal resistance to, 968
tomato, 18
wheat, factors affecting susceptibility, 6
SCHAFER, L. A., 518
Schizophyllum commune, on persimmon, 311
SCHNEIDER, C. L., (284)
SCHNEIDER, HENRY, 24
SCHUSTER, M. L., 604
SCHWINGHAMER, E., (15)
Scirrhia acicola, mechanism of variation, 726
Sclerospora graminicola, morphology, 25
macrospora, cause of crazy top in corn, 29
species, morphology, 25
Sclerotinia bataticola, 644
camelliae, 965
fructicola, 5, 13, 251, 967
spore germination, 326, 1139
effect of actidione upon, 218
homeocarpa, on bent grass greens, 25
laxa, control, 967
by eradicants, 567
minor, 644
sclerotiorum, 16, 786
spp., affected by fungicides, 27
on stone fruits, control, 778
damping-off, in lettuce, 8
trifoliorum, 16, 874
Sclerotium rolfsii, 786
control by soil fumigation, 16
germination of sclerotia, 31
SCOTT, D. H., 194
SCOTT, W. W., 24
Scurf of sweet potato, control, 873
Seedling blight, of corn, 6, 13
of flax, 15
of lettuce, 8
Seedox (see Fungicides)
Seed transmission, Heterosporium tropaeoli, on nasturtium, 559
lettuce mosaic virus, 965
Seed treatment, alfalfa, 883
beet, 18
blue lupine, 787, 789
cabbage, 18
cucurbits, 18
effect on nodulation of lupine, 787
flax, 15
lettuce, 8
Lima beans, 18
loblolly and shortleaf pine, 788
muskmelon, 18
nasturtium, 561, 562
pea, 18, 884
red clover, 883
rice, 3
safflower, 28, 366
soybean, 829
spinach, 18
Sudan grass, 883
sweet corn, 18
tomato, injury with mercurials, 964, 963
Selenium, effect on nematodes, 1116
Semesan (see Fungicides)
SEMPIO, C., 799
Senecio cruentus, 869
Sepedonium chrysospermum, 645
Septoria, 5
lycopersici, 18
nodorum, sporulation, 23
obesa, on chrysanthemum, 206
Septosporium heterosporium, 969
Serology, in Xanthomonas, 58
Serratia marcescens, 250, 941
Sesame, 1156
Sesamum indicum, 189
Fusarium wilt, 704
Sesbania exaltata, 839, 853
SHAFER, THELMA, 25, 1035
SHARVELLE, E. G., 25, 777, 778
SHAW, CHARLES GARDNER, 25
SHERWIN, HELEN S., (17)
Shot hole, of cherry, ethylene production, 32, 205
SHUMARD, R. S., (653)
SHURTLEFF, M. C., 26
Sida fallax, 966
rhombifolia, 270
SIGGERS, PAUL V., 726
Silene pendula, 270
Silybum marianum, 968
SIMINOFF, PAUL, (11)
Sinningia speciosa, 392, 781
SKOLKO, A. J., (156)
SMART, HELEN F., (869)
SMITH, M. A., 1132
SMITH, PAUL G., 65
SMITH, WILSON L., JR., 873, 1011
Smudge, in onion, resistance to, 30, 294
Smut, covered kernel, of sorghum, 1068
loose, method of inoculation, 1054

loose kernel, on Johnson grass, 1061
Tilletia caries (tritici), 9, 590
foetida (laevis), 590
spp., prevalence of, 637, 638
Ustilago bullata, 9
nuda, 22, 518
spp., prevalence, 637, 638
striiformis, 584, 645
tritici, 22
zeae, effect of sodium arsenite, 524
mutants, 6
Snapdragon, 19, 189, 206
SNYDER, WILLIAM C., 26, (971)
Sodium, arsenite, effect on Ustilago zeae, 524
azide, control of root knot, 29
citrate, effect on spore germination, 329
in soil, for potato scab, 968
nitrite-nitrate, control of root knot, 29
selenate, for nematode control, 1121
trichloroacetic acid, in weed control, 788
Soft rot, of potato, 873, 1011
of witloof chicory, 9
Soil, factors affecting damping-off, 888
Soil amendments, effect on Verticillium albo-atrum, 970
Soil fumigants, allyl alcohol, 788
effect on root knot, 29
chlorobromopropene (1-chloro-3-bromopropene-1), 16
chloropicrin, for pea root rot, 879
for pine root rot, 788
for tobacco root knot, 29
for Verticillium, 373
DD (dichloropropylene and dichloropropane), 17, 19, 581, 788, 1043
dichlorobutene, 17, 788
Dowfume N (propane-propene mixture), for pea root rot, 879
effect of soil type on dispersion of, 1043
ethylene dibromide, 463, 788, 1050
formaldehyde, 788
Larvacide (see chloropicrin)
methyl bromide, for nematodes, 17, 19
for pine root rot, 788
for pea root rot, 879
Soja max (see also Glycine max), 11, 14, 692, 838
Solanum nigrum, 299, 776
tuberosum, 270, 445
virus X, mixed with Y, 24
Sooty blotch, of Vitis californica, 969
Sordaria, 522, 645
Sorghum, 215
Colletotrichum on, 430
halepense, loose kernel smut of, 1061
vulgare, fungi from seed of, 521
Sour skin of onion, 115
SOUTHAM, CHESTER M., 439
Soybean, 10, 12, 14, 28, 33, 535, 788, 790, 838, 853, 946
root rot, 820
wilt, 181
Sparaxis tricolor, 704
Spearmint, 20
SPECHT, ALSTON W., (872)
Spergon (see Fungicides)
Sphaceloma, on Chinese holly, 22
rosarum, on rose, 206
Sphacelotheca cruenta, 1061
holci, 1061
sorghi, 1068
Sphaerotheca pannosa, on rose, 206
Spinach, 18, 65, 189
cucumber virus 1 from, 729
Spinacia oleracea, 189, 729, 838
resistance to downy mildew, 65
Spondylocladium, 645
Spore germination, Botrytis, affected by media, 759
induced in fungi, 971
relation to dosage response of fungicides, 326
Sclerotinia fructicola, 1139
Spores of fungi, technic for collection, 874
Sporodinia grandis, 255
SPRAGUE, RODERICK, 969
SPROSTON, T., JR., (24)
Spur blight of sour cherries, 967
Squash, 17
Staghead of tung, 454
STAHMANN, MARK A., 26, (30), (292), (749), 999
STAKMAN, E. C., (902)
Stalk rot, of corn, relation to corn borer, 284
of sugar cane, 430
STEIB, R. J., 26
STEINMETZ, F. H., 26
Stem necrosis of potato, caused by Streptomyces, 464
Stemphylium, cardinal temperatures for, 872
on tomato, 874
sarcinaeforme, 5, 13
growth affected by actidione, 218
Stephanotis floribunda, flower blight, 780
STERANKA, BETTY H., (391)
Stipa (see Grasses)
STODDARD, E. M., (4), 27
Stone fruits, blossom blight, 1136
Storage rot, of gladiolus corms, control, 209
of sugar beet, control, 483
STOUT, G. L., (970)
Strawberry, 14, 22, 370, 776
effect of actidione upon, 219
leaf spot, control by copper fungicides, 777
red stele, varietal reaction to, 194
viruses, 870, 964
wilt, experimental design for, 477
STREETS, R. B., 969
Streptomyces griseus, 11
ipomoea, 469
lavendulae, on potato, 469
scabies, on potato, 390, 968
cause of stem necrosis, 464
Stromatinia smilacinae, 644
Strumella coryneoidea, on oak, 870
Stunt, of Cyclamen, 1027
Sudan (see Grasses)
Sugar beet, 704, 820, 1058
curly top, 577
mosaic, transmission by aphids, 737

nematode, life history and morphology, 135
seedling diseases, 963
storage decay, control, 483
virus yellows, 874
Sugar cane, Helminthosporia pathogenic on, 90
mosaic, physical properties, 215
pathogenicity of Colletotrichum on, 430
red rot, mutants in causal organism, 221
rot of seed pieces, 26
soils, actinomycetes antibiotic to Pythium, 544
Sulfanilamide, or derivatives (see Fungicides)
Sulforon X (see Fungicides)
SUMMERS, THOMAS E., 27
SUNESON, COIT A., (875)
Sunflower, 1058, 1156
SUTTON, M. D., (156)
SWANK, GEORGE, JR., 27
Sweet gum, 458
Sweet potato, 189, 787
Fusarial wilt, 769, 785
internal cork, 789, 790
scurf, control, 873
spoilage, effect of temperature, 869
SWINGLE, R. U., (4), 1018
Swiss chard, 731
Sycamore, canker stain, 787
SYLVESTER, EDWARD S., 737, 743, 782
Synergism, between fungicides, 27

Tagetes, 268
Taphrina caerulescens, on oak, 206
TAPKE, V. F., 873
Target spot of barbasco, 37
TARJAN, A. C., 27, 1111
Taxodium distichum, 788
Taxonomy, Fusaria, 191
Verticillium albo-atrum, 503
concepts of, 26
TAYLOR, CARLTON F., 27
T.C.A., to control weeds, 788
TELLER, M. N., (777), (778)
Temperature, effect on, blossom blight of stone fruits, 1147
Botrytis, sclerotial formation, 758
Cephalosporium diospyri, 315
Choanephora cucurbitarum, sporulation, 83
Colletotrichum lindemuthianum, sporulation, 107
crown-gall bacteria, 28
cucumber scab, 1094
diseases of Gladiolus, Narcissus, and Lilium, 872
fungicidal action of sulfur, 173
fungicidal efficiency, 578
loose kernel smut, 1062
mosaic development, 690
nasturtium leaf spot, 561
Pythium isolates, growth of, 885
red node and streak viruses, 840
Rhizoctonia, pathogenicity, 14
safflower rust, sporulation, 365
Sclerotinia, growth, 874
sugar-cane rot, 26
sweet potato, spoilage, 869
thread blight, 23
Tilletia spp., sporulation, 592
tobacco-necrosis virus, 300
viruses, inactivation of, 251
wound-tumor virus, 1071
Tennessee "34" (see Fungicides)
Tersan (see Fungicides)
TERVET, IAN, 874
Tetranychus telarius, on rose leaves, 206
Thamnidium elegans, 255
THEIS, T. N., 28
Thespesia populnea, 966
Thiamine, for sporulation of fungi, 82, 107
Thimbleberry, 1107
Thiosan (see Fungicides)
Thistle, milk, 968
THOMAS, C. A., 28
THOMAS, H. EARL, (1103)
THOMAS, H. REX, 28, (32), 832, (847), 1007
THOMPSON, GEORGE E., 791
THORNBERRY, H. H., 29, 419, (876)
THORNE, GERALD, (963)
Thread blight, of Elaeagnus pungens, 23
host range, 458
in tung, control, 453
Thrips (see Insects)
Thuja plicata, cubical sap rot, 439
TIFFANY, LOIS H., (10)
TIMNICK, MARGARET B., (1)
Timothy (see Grasses)
Tobacco, 5, 189, 445, 691, 704, 729, 785, 791, 853, 983, 1155
bacterial wilt, 14
blackfire, 945
infected with potato viruses X and Y, 24
inhibition of viruses on, 23, 644
leaves, protein content of, 21
mosaic, 870
derived from nucleoproteins, 31
resistance to mosaic and root rot, 11
streak, relation of red node on bean, 28, 832
factors affecting infection, 128
variants in necrosis virus of, 298
wildfire, 945
TODD, F. A., 29
Tomato, 1, 4, 7, 8, 9, 13, 16, 18, 461, 691, 704, 776, 820, 839, 853, 968, 970, 981, 1058, 1103, 1107, 1156
anthracnose, control, 32
early blight, 13, 32
effect of actidione upon, 219
host for cucumber virus, 731
infection by Verticillium, 368
injury to seed with mercurials, 964, 965
internal-browning disease, 487, 870
mosaic, effect on yield, 791
Phomopsis disease, 966
root knot, 216
wilt, bacterial, 14
Fusarial, 4, 785
induced by Ceratostomella toxin, 343
spotted, to nasturtium, 967

TOMPKINS, C. M., 712, 780
TOOLE, E. RICHARD, 791
Trefoil, birdsfoot, 885
Trialeurodes tabaci, 269
Trichocladium asperum, 256
Trichoderma, 644
Tricholoma flavobrunneum, 256
  personatum, 255
Trichophyton mentagrophytes, 645
Trichothecium roseum, 645
  inhibitory to virus, 23
Trifolium fragiferum, 16
  hybridum, 11, 689
  incarnatum, 11, 689, 835, 853, 1072
  pratense, 11, 301, 689, 838, 853, 885
  repens, 11, 16, 301, 692, 839, 853
Trigonella foenum graecum 692
Triticum aestivum, 704
  timopheevi, 531
Tropaeolum majus, 270, 301, 554, 839, 853, 967
  peregrinum, 554
  seemanni, 554
Trumpet vine, 1154
TU, DEN-SHEN, (6)
TUCKER, C. M., (712)
Tulip, host for tobacco necrosis virus, 300
  Fusarial leaf blight, 965
Tung, 790
  thread blight, control, 453
TVEIT, MARTIN, (14)
Twig girdler, vector of persimmon wilt, 317
Tylenchulus semipenetrans, 963
Typhula idahoensis, on wheat, 969
  itoana, on wheat, 969

ULLSTRUP, ARNOLD J., 29
Ulmus americana, 4, 8, 352, 1018
  carpinifolia, 4
  fulva, 4
  pumila, 4
  thomasi, 4
Ultraviolet irradiation, effect, in Botrytis, 764
Urnula craterium, on oak, 870
Urticado, of grape, 966
Ustilago (see Smut)
UTECH, NEDRA M., 247

VALLEAU, W. D., (128), (516)
Valsa, on sugar maple, 24
VAN BURGH, PATRICIA, 29
Van Teighem cell, for purifying cultures, 389
Variola (see Citrus)
Varsol, for weed control, 788
VAUGHN, THOMAS H., (653)
Venturia inaequalis, 5
  spore germination, 326
Verticillium albo-atrum, 16
    distribution in soils, 368
    on bramble fruits, 1103
    on cotton, 497, 786
  on spearmint, 20
  wilt, in acid soils, 776
    of strawberry, resistance to, 477
Vetch, 10, 28, 189, 692
  diseases of, 788
Vicia atropurpurea, 692, 788
  faba, 11, 31, 692, 838, 853
  grandiflora, 692
  monantha, 692, 789
  pannonica, 789
  sativa, 692, 788, 838
  villosa, 189, 692, 788
Vigna sesquipedalis, 838
  sinensis, 11, 17, 298, 692, 784, 838, 853
    host for cucumber virus, 731
    vigna viruses 1, 2, 3, 3a on, 30
  vexillata, 853
Vinca rosea, 268, 392
  Asclepias yellows, 16
  crown gall, 28
Viola tricolor, 268
  cornuta, 392
Violet, 206
Viruses, alfalfa, mosaic, on potato, 973
    virus N, 833
  apple, ring-spot, 964
  artichoke, curly dwarf, 967
  Asclepias yellows, 16
  aster yellows, 16, 968
  bacteriophage, host range, 941
    on Pseudomonas spp., 936
    Phagus pruni on Xanthomonas, 876
  bean, common mosaic (bean virus 1), genetics of resistance, 69
    pod mottle, 856, 1007
    red node, related to tobacco streak, 28, 832
    southern mosaic, 786, 856
      inhibition by fungi, 23, 644
    yellow mosaic (bean virus 2) on pea, 684
    yellow stipple, 32, 847
  beet mosaic, 737
    yellow-net, 782
  Brassica, 955
    nigra, transmission, 743
  cabbage, black ring, 955
    Chinese, mosaic, 955
    mosaic, 248
    viruses A and B, 995
  cherry, albino, 20
    buckskin, 707
    little-cherry, 19
    mild rugose mosaic, 992
    necrotic ring-spot, 9
    recovery of X-disease from, 707
    ring-spot, 19
    rusty mottle, 969
  chokecherry, red leaf, 969
  corn stunt, 20
  cowpea, Vigna virus 1, seed transmission, 30
  crimson clover, wound-tumor, 2, 1071
  Crotalaria mosaic, 512
  cucumber mosaic, 248, 791
    compared to potato virus Y, 445
    virus 1, 11, 729
    viruses 3 and 4, 219
  Cymbidium mosaic, 965, 966

elm mosaic, seed transmission, 3
zonate canker, 1018
Euphorbia prunifolia, mosaic, 266
virus 1, 282
Hibiscus, 966
horseradish mosaic, 956
inactivation of, by substances from bacteria and fungi, 247, 642
lemon, quick decline, 24
lettuce mosaic, 964
seed transmission, 965
nasturtium mosaic, 967
Nothoscordum mosaic, 703
orange, quick decline, 24
pea mosaic, 684
streak, electron micrography of, 26, 999
peach, little peach, 16
ring spot, 709
rosette, 16
western X-disease, 19
X-disease, 16
yellows, 16
peanut mosaic, 6
Plantago, mosaic, 487
potato calico, 975
ring spot, 248
virus X, simultaneous inoculation with Y, 24
virus Y (rugose mosaic), 445, 975
yellow dwarf, 2, 3
Prunus, in rootstocks of species, 963
rose, ring spot, 964
strawberry, 870, 964
sugar beet, curly top, strains, 377
yellows, 874
sugar cane mosaic, 214
sweet clover, host for tobacco streak, 516
sweet potato, internal cork, 789, 790
tobacco, etch, 791
mosaic, 21, 31, 219, 791, 870
inhibited by fungi, 23, 248, 644
mild green strain, 31
on tomato, 1, 13
resistance to, 11
necrosis, host range, 301
inhibition by fungi, 23, 644
on primrose, 391
variants of, 298
ring spot, 248
streak, 128, 248, 833
tomato, big bud, 968
internal browning, 13, 487, 870
mosaic, 487, 791
from tobacco, 1, 13
ring spot, 833
turnip virus 1, 958
western wheat mosaic, 874
X-disease, host range, 969
transmission with dodder, 970
transmission by leafhoppers, 971
Vitamins, effect on growth of Glomerella, 921
Vitis californica, 969

WADLEY, BRYCE N., (969)
WAHL, I., 29, 30, 793
WALKER, J. C., 30, (84), (292), (749), (955), 1094
WALLACE, H. A. H., 30
WALLACE, J. M., (24)
WALLEN, V. R., 156
WALTER, JAMES M., 791
Wandflower, 704
WARID, W. A., 30
Watermelon, 1156
WATKINS, G. M., 31
WATSON, R. D., 392
WEATHERS, LEWIS G., 970
WEAVER, L. O., (870), 1136
WEBER, PAUL V. V., 31
Webworm (Hyphantria cunea), on persimmon, 317
WEIMER, J. L., 782
Western-X (see Viruses)
Wetwood, in living trees, 871
Wheat, 531, 704
bacterial stripe blight, 45
Fusarial head blight, 902
glume blotch, 23
infected with Oidium moniloides, 800
powdery mildew, factors predisposing to, 873
rare fungus disease, 30
rusts, 637, 638, 869, 871
survival of stem rust races, 18
water loss from rusted plants, 26
scab, factors affecting, 6
seedling blight, technique for testing, 2
smuts, methods of inoculation, 1054
Typhula spp., 969
WHEELER, H. E., 31
White fly, vector of Euphorbia mosaic, 266
WHITEHEAD, MARVIN D., 791, 1023
White rot, effect on degradation of lignin, 926
WIANT, JAMES S., 409
Wildfire on tobacco, 5, 943
WILDMAN, S. G., (21), 31
WILHELM, STEPHEN, 368, 776, 970, 1103
WILLIAMS, H. E., (963)
WILLIAMSON, C. E., 32, 205
WILSON, E. E., 32, 567, 970
WILSON, J. D., 32
Wilt, barbasco, 39
bramble fruits, 1103
cotton, 497, 789
cowpea, races of pathogen, 181
Crotalaria, 785
cyclamen, 1030
flax, 969
mimosa, 791
oak, transmission, 16
persimmon, 307
red clover, 14
sesame, 785
soybean, races of pathogen, 181
spearmint, 20
strawberry, resistance to, 477
sweet potato, anatomical aspects, 769
tobacco, 789
tomato, 4, 14
toxin of Ceratostomella ulmi, 343
Verticillium, in acid soil, 776

Winter injury of apple, 355
WOLFE, H. R., 971
WOODS, HELEN L., (869)
WYCKOFF, R. W. G., (3)

Xanthomonas beticola, 255, 941
campestris, 30, 58, 255, 941
cerealis, 45, 54
holcicola, 45
hordei, 45
hordei-avenae, 45
malvacearum, 941
phaseoli, 1, 941
var. sojensis, serology, 58
phleipratensis, 54
pruni, factors affecting infection, 1
bacteriophage, 876
secalis, 54
translucens, 255
form species, pathogenicity and physiology, 44
undulosum, 2
vesicatoria, 941
vignicola, 17
X-disease (see Viruses)
Xylaria, 645
Xylobiops, in relation to persimmon wilt, 314

YARWOOD, C. E., 173, 971
Yaupon, 458
Yellow Cuprocide (see Fungicides)
Yellow dwarf, on onion, effect on seed yield, 392
Yellow stipple (see Viruses)
YOUNG, V. H., (790)
YUAN, C. T., (15)

Zantedeschia aethiopica, rhizome rot, 712
elliottiana, 781
ZAUMEYER, W. J., (28), 32, (832), 847, (1007)
Zea mays, 11, 301, 704
var. rugosa, 730
ZELLER, S. M., 707
ZENTMYER, G. A., 971
ZERKEL, ROBERT S., 33
Zerlate (see Fungicides)
Zinc deficiency in corn and citrus, 790
Zineb (see Fungicides)
Zinnia, 11, 447, 968, 1155
elegans, 270, 730, 838
Zonate canker (see Viruses)

ERRATA, VOLUME 39

Page 950, line 13, *delete* (Fig. 1).
Page 984, table 3, line 1, *read* 6 p. m. to midnight *for* 8 p. m. to midnight.
Page 1055, footnote 5, *read* Schwarze for Schwartz.

ERRATA, VOLUME 40

Page 100, last four lines, *read:*
are thin-walled and therefore thought to be of *H. sacchari.* According to Martin (13, p. 64), Matsumoto and Yamamoto in 1935 proposed the name *Cochliobolus stenospilus* for the perfect stage of an *Helminthosporium* identified as *H. stenospilum,* which they obtained in pure culture. The com- . . .
Page 296, line 2, *read* concerned *for* eencerned.
Page 297, Literature Cited, reference 9, *add* 1926.
Page 370, table heading, line 2, *read* 4 pots *for* 4 plots.
Page 381, line 40, *read* 44 per cent *for* 49 per cent; line 41, *read* 8 per cent *for* 6 per cent.
Page 513, line 22, *read* than is *Myzus for* than in *Myzus.*
Page 521, line 6, *read* Sorghum *for* Sorphum.
Page 521, line 8, *read* causal *for* casual.
Page 521, line 10, *read* fungus *for* fugus.
Page 521, line 16, *read* plated *for* placed.
Page 521, line 25, *read* overlooked *for* overlokoed.
Page 524, line 23, *read* Hirschhorn *for* Hirschorn.
Page 628, line 15 of text, *read* Table 3 *for* Table 5.
Page 890, both tables, column 1, *delete* 15 per cent *and* 25 per cent.